


Subacute oral effects MMDA

1/28/62 et seq

$C_{11}H_{15}NO_3 \cdot HCl$
M.W. 209 + 36.5

at 170lbs, and as free
base
90.5mg (as ·HCl)
= 1 mg/kg (as f.base)
all ORAL

date	time	amt	=	
1/29/62	5:40AM	.25mg	= 0.0028mg/kg	6:00AM - hip & thigh muscle show fatiguing - but then I laid brick yesterday. 6:30 no effect ∴ not hypersensitive
1/29/62	7:00AM	2.25mg	= 0.025mg/kg	no effect.
1/30/62	6:25AM	7.1mg	= 0.078mg/kg	slight dizzy moment at 7:10. undoubtedly apprehension - otherwise no effect.
2/1/62	6:32AM	12.3mg	= 0.136mg/kg	no effects.
2/6/62	6:50AM	20.9mg		no effects.
2/12/62	6:40AM	34.8mg	0.38mg/kg (free base)	no effects.
2/26/62	6:38AM	55.0mg	0.6mg/kg	as free base. - ~8am- possible attenuation of intoxic & naus - felt quite ill - some dilat. - pulse 116. 11AM - fine.
3/5/62	6:30AM	76.4mg	0.85 mg/kg	distinct effect - see page 22 .
8/6/62	6:40AM (½) } 6:58AM (½) }	94.3mg	1.04 mg/kg	distinct effect - see page 22

[see page 104](#) for more subacutes.

Add to Dous. ~9162 . CC - in 6 —150-250mg confirmation of brain movies.